

1 / 17

Computing Environment 100




FIG. 1

2 / 17




FIG. 2

3 / 17




Fig. 3

4 / 17




Fig. 4

5 / 17




Fig. 5

6 / 17




Fig. 6

7 / 17




Fig. 7

8 / 17




Fig. 8

9 / 17




Fig. 9

10 / 17

DOCUMENT 62
DOCUMENT PROPERTIES
CUSTOM PROPERTIES
STORAGE 68
- MESSAGE
CUSTOM DATA 66 SECTION 64 - [COMPRESSED] PROTECTED CONTENT 32 - (KD(CONTENT)) - - CONTENT INFO - - CONTENT IN PLAIN TEXT - - CONTENT IN HTML - - CONTENT IN RTF SECTION 64 - RIGHTS DATA 50 - RIGHTS - (PU-RM(KD)) OR (PU-AU(KD)) - SIGNATURE SECTION 64 - LICENSES 36 - LICENSE 36 - LICENSE 36 SECTION 64 - TRANSFORMS 70 - RM PART - - SECTION 64 WITH ENCRYPTED DATA - - SECTION 64 WITH DECRYPTION KEY (KD) - COMPRESSION PART - - SECTION 64 WITH COMPRESSED DATA - - COMPRESSION MECHANISM

Fig. 10

11 / 17




Fig. 11

12 / 17




Fig. 12

13 / 17




Fig. 13




Fig. 14

15 / 17




Fig. 15

16 / 17




Fig. 16

17 / 17




Fig. 17